

Chapter 9

Completeness Theorem: Proof 2 A Counter- Model Existence Method

We prove now the Completeness Theorem by proving the opposite implication:

If $\not\vdash A$, then $\not\models A$

We will show now how one can define of **a counter-model** for A from the fact that A is **not provable**.

This means that we deduce that a formula A is not a tautology from the fact that it does not have a proof.

We hence call it a **a counter-model existence method**.

The construction of a counter-model for any non-provable A is much more general (and less constructive) than in the case of our first proof.

It can be generalized to the case of predicate logic, and many of non-classical logics; propositional and predicate.

It is hence a much more general method than the first one and this is the reason we present it here.

We remind that $\not\models A$ means that there is a variable assignment $v : VAR \longrightarrow \{T, F\}$, such that $v^*(A) \neq T$, i.e. in classical semantics that $v^*(A) = F$. Such v is called a counter-model for A , hence the proof provides a counter-model construction method.

Since we assume that A does not have a proof in S ($\not\vdash A$) the method uses this information in order to show that A is not a tautology, i.e. to define v such that $v^*(A) = F$.

We also have to prove that all steps in that method are correct. This is done in the following steps.

Step 1: Definition of Δ^*

We use the information $\not\vdash A$ to define a special set Δ^* , such that $\neg A \in \Delta^*$.

Step 2: Counter - model definition

We define the variable assignment $v : VAR \longrightarrow \{T, F\}$ as follows:

$$v(a) = \begin{cases} T & \text{if } \Delta^* \vdash a \\ F & \text{if } \Delta^* \vdash \neg a. \end{cases}$$

Step 3: Prove that v is a counter-model

We first prove a more general property, namely we prove that the set Δ^* and v defined in the steps 1 and 2, respectively, are such that for every formula $B \in \mathcal{F}$,

$$v^*(B) = \begin{cases} T & \text{if } \Delta^* \vdash B \\ F & \text{if } \Delta^* \vdash \neg B. \end{cases}$$

Then we use the **Step 1** to prove that $v^*(A) = F$.

The definition and the properties of the set Δ^* , and hence the **Step 1**, are the most essential for the proof.

The other steps have only technical character.

The main notions involved in this step are:
consistent set, complete set and a **consistent complete extension of a set**.

We are going now to introduce them and to prove some essential facts about them.

Consistent and Inconsistent Sets

There exist two definitions of consistency; semantic and syntactical.

Semantical definition uses the notion of a model and says:

a set is consistent if it has a model.

Syntactical definition uses the notion of provability and says:

a set is consistent if one can't prove a contradiction from it.

In our proof of the Completeness Theorem we use assumption that a given formula A does not have a proof to deduce that A is not a tautology.

We hence use the following syntactical definition of consistency.

Consistent set

We say that a set $\Delta \subseteq \mathcal{F}$ of formulas is **consistent** if and only if **there is no** a formula $A \in \mathcal{F}$ such that

$$\Delta \vdash A \quad \text{and} \quad \Delta \vdash \neg A.$$

Inconsistent set

A set $\Delta \subseteq \mathcal{F}$ is **inconsistent** if and only if **there is** a formula $A \in \mathcal{F}$ such that $\Delta \vdash A$ and $\Delta \vdash \neg A$.

The notion of consistency, as defined above, is characterized by the following lemma.

LEMMA: Consistency Condition

For every set $\Delta \subseteq \mathcal{F}$ of formulas, the following conditions are equivalent:

- (i) Δ is **consistent**,
- (ii) there is a formula $A \in \mathcal{F}$ such that $\Delta \not\vdash A$.

Proof: The implications:

(i) Δ is **consistent**, implies

(ii) there is a formula $A \in \mathcal{F}$ such that $\Delta \not\vdash A$ and vice-versa are proved by showing the corresponding opposite implications.

I.e. to establish the equivalence of **(i)** and **(ii)**, we first show that

Case 1: not **(ii)** implies not **(i)**, and then that

Case 2: not **(i)** implies not **(ii)**.

Case 1

Assume that not **(ii)**.

It means that **for all formulas** $A \in \mathcal{F}$ we have that $\Delta \vdash A$.

In particular it is true for a certain $A = B$ and $A = \neg B$ and hence it proves that Δ is inconsistent,

i.e. not **(i)** holds.

Case 2

Assume that not **(i)**, i.e that Δ is inconsistent.

Then there is a formula A such that $\Delta \vdash A$ and $\Delta \vdash \neg A$.

Let B be any formula. Since $(\neg A \Rightarrow (A \Rightarrow B))$ is provable in S (formula 6),

hence by applying Modus Ponens twice and by detaching from it $\neg A$ first, and A next, we obtain a formal proof of B from the set Δ .

This proves that $\Delta \vdash B$ for any formula B . Thus not **(ii)**.

The inconsistent sets are hence characterized by the following fact.

LEMMA: Inconsistency Condition

For every set $\Delta \subseteq \mathcal{F}$ of formulas, the following conditions are equivalent:

(i) Δ is **inconsistent**,

(ii) for all formulas $A \in \mathcal{F}$, $\Delta \vdash A$.

We remind here the property of the finiteness of the consequence operation.

LEMMA: Finite Consequence

For every set Δ of formulas and for every formula $A \in \mathcal{F}$,

$\Delta \vdash A$ if and only if there is a finite subset $\Delta_0 \subseteq \Delta$ such that $\Delta_0 \vdash A$.

Proof:

If $\Delta_0 \vdash A$ for a certain $\Delta_0 \subseteq \Delta$,

then by the monotonicity of the consequence,
also $\Delta \vdash A$.

Assume now that $\Delta \vdash A$ and let

$$A_1, A_2, \dots, A_n$$

be a formal proof of A from Δ .

Let $\Delta_0 = \{A_1, A_2, \dots, A_n\} \cap \Delta$.

Obviously, Δ_0 is finite and A_1, A_2, \dots, A_n is a
formal proof of A from Δ_0 .

The following theorem is a simply corollary of the above Finite Consequence Lemma.

Finite Inconsistency THEOREM

1. If a set Δ is **inconsistent**, then there is a finite subset $\Delta_0 \subseteq \Delta$ which is inconsistent.

It follows therefore from that

2. if every finite subset of a set Δ is consistent, then the set Δ is also consistent.

Proof:

If Δ is inconsistent, then for some formula A ,

$$\Delta \vdash A \text{ and } \Delta \vdash \neg A.$$

By the Finite Consequence Lemma , there are finite subsets Δ_1 and Δ_2 of Δ such that

$$\Delta_1 \vdash A \text{ and } \Delta_2 \vdash \neg A.$$

By monotonicity, the union $\Delta_1 \cup \Delta_2$ is a finite subset of Δ , such that

$$\Delta_1 \cup \Delta_2 \vdash A \text{ and } \Delta_1 \cup \Delta_2 \vdash \neg A.$$

Hence $\Delta_1 \cup \Delta_2$ is a **finite inconsistent subset** of Δ .

The second implication is the opposite to the one just proved and hence also holds.

The following lemma links the notion of non-provability and consistency.

It will be used as an important step in our proof of the Completeness Theorem.

LEMMA

For any formula $A \in \mathcal{F}$,

if $\not\vdash A$, then the set $\{\neg A\}$ is consistent.

Proof: If $\{\neg A\}$ is inconsistent, then by the Inconsistency Condition Lemma we have $\{\neg A\} \vdash A$.

$\{\neg A\} \vdash A$ and the Deduction Theorem imply
 $\vdash (\neg A \Rightarrow A)$.

Applying the Modus Ponens rule to $(\neg A \Rightarrow A)$
and assumed provable formula 9
 $((\neg A \Rightarrow A) \Rightarrow A)$,

we get that $\vdash A$, contrary to the assumption
of the lemma.

Complete and Incomplete Sets

Another important notion, is that of a **complete set** of formulas. Complete sets, as defined here are sometimes called **maximal**, but we use the first name for them.

They are defined as follows.

Complete set

A set Δ of formulas is called complete if **for every** formula $A \in \mathcal{F}$,

$$\Delta \vdash A \text{ or } \Delta \vdash \neg A.$$

The complete sets are characterized by the following fact.

Complete Set Condition Lemma

For every set $\Delta \subseteq \mathcal{F}$ of formulas, the following conditions are equivalent:

(i) Δ is **complete**,

(ii) for every formula $A \in \mathcal{F}$, if

$$\Delta \not\vdash A,$$

then the set

$$\Delta \cup \{A\}$$

is **inconsistent**.

Proof: We consider two cases.

Case 1 We show that **(i)** implies **(ii)** and

Case 2 we show that **(ii)** implies **(i)**.

Proof of Case 1:

Assume that **(i)** and that for every formula $A \in \mathcal{F}$, $\Delta \not\vdash A$.

We have to show that in this case $\Delta \cup \{A\}$ is inconsistent.

But if $\Delta \not\vdash A$, then from the definition of complete set and assumption that Δ is complete set, we get that

$$\Delta \vdash \neg A.$$

By the monotonicity of the consequence we have that

$$\Delta \cup \{A\} \vdash \neg A.$$

By formula $4 \vdash (A \Rightarrow A)$ and monotonicity we get $\Delta \vdash (A \Rightarrow A)$ and by Deduction Theorem

$$\Delta \cup \{A\} \vdash A.$$

This proves that $\Delta \cup \{A\}$ is inconsistent. Hence **(ii)** holds.

Case 2

Assume that **(ii)**, i.e. for every formula $A \in \mathcal{F}$, if $\Delta \not\vdash A$, then the set $\Delta \cup \{A\}$ is inconsistent.

Let A be any formula. We want to show **(i)**, i.e. to show that the condition:

$$\Delta \vdash A \text{ or } \Delta \vdash \neg A$$

is satisfied.

If

$$\Delta \vdash \neg A,$$

then the condition is obviously satisfied.

If, on other hand,

$$\Delta \not\vdash \neg A,$$

then we are going to show now that it must be, under the assumption of **(ii)**, that $\Delta \vdash A$, i.e. that **(i)** holds.

Assume that

$$\Delta \not\vdash \neg A,$$

then by **(ii)**, the set $\Delta \cup \{\neg A\}$ is inconsistent.

It means, by the Consistency Condition Lemma, that

$$\Delta \cup \{\neg A\} \vdash A.$$

By the Deduction Theorem, this implies that

$$\Delta \vdash (\neg A \Rightarrow A).$$

Observe that

$$((\neg A \Rightarrow A) \Rightarrow A)$$

is a provable formula 4 in S .

By monotonicity,

$$\Delta \vdash ((\neg A \Rightarrow A) \Rightarrow A).$$

Detaching $(\neg A \Rightarrow A)$, we obtain that

$$\Delta \vdash A.$$

This ends the proof that **(i)** holds.

Incomplete set

A set Δ of formulas is called incomplete if it is not complete, i.e. if **there exists** a formula $A \in \mathcal{F}$ such that

$$\Delta \not\vdash A \text{ and } \Delta \not\vdash \neg A$$

We get as a direct consequence of the Complete Set Condition Lemma the following characterization of incomplete sets.

Incomplete Set Condition Lemma

For every set $\Delta \subseteq \mathcal{F}$ of formulas, the following conditions are equivalent:

- (i) Δ is **incomplete**,
- (ii) there is formula $A \in \mathcal{F}$ such that $\Delta \not\vdash A$, and the set $\Delta \cup \{A\}$ is **consistent**.

Main Lemma: Complete Consistent Extension

Now we are going to prove a lemma that is essential to the construction of the special set Δ^* mentioned in the **Step 1** of the proof of the Completeness Theorem, and hence to the proof of the theorem itself.

Let's first introduce one more notion.

Extension Δ^* of the set Δ .

A set Δ^* of formulas is called an **extension** of a set Δ of formulas if the following condition holds:

$$\{A \in \mathcal{F} : \Delta \vdash A\} \subseteq \{A \in \mathcal{F} : \Delta^* \vdash A\}.$$

In this case we say also that Δ **extends** to the set of formulas Δ^* .

The Main Lemma states as follows.

Complete Consistent Extension Lemma

Every consistent set Δ of formulas can be extended to a complete consistent set Δ^* of formulas.

Proof: Assume that the lemma does not hold, i.e. that there is a consistent set Δ , such that all its consistent extensions are not complete.

In particular, as Δ is an consistent extension of itself, we have that Δ is not complete.

The proof consists of a construction of a particular set Δ^* and proving that it forms a complete consistent extension of Δ , contrary to the assumption that all its consistent extensions are not complete.

CONSTRUCTION of Δ^* .

As we know, the set \mathcal{F} of all formulas is enumerable. They can hence be put in an infinite sequence

F $A_1, A_2, \dots, A_n, \dots$
such that every formula of \mathcal{F} occurs in that sequence exactly once.

We define, by **mathematical induction**, an infinite sequence $\{\Delta\}_{n \in \mathbb{N}}$ of **consistent** subsets of formulas together with a sequence $\{B\}_{n \in \mathbb{N}}$ of formulas as follows.

Initial Step

In this step we define the sets Δ_1, Δ_2 and the formula B_1 and prove that Δ_1 and Δ_2 are consistent, incomplete extensions of Δ .

We take as the first set, the set Δ , i.e. we define

$$\Delta_1 = \Delta.$$

By assumption the set Δ , and hence also Δ_1 is **not complete**.

From the Incomplete Set Condition we get that there is a formula $B \in \mathcal{F}$ such that

$\Delta_1 \not\vdash B$ and $\Delta_1 \cup \{B\}$ is **consistent**.

Let

B_1

be the first formula with this property in the sequence \mathbf{F} of all formulas;

We define

$$\Delta_2 = \Delta_1 \cup \{B_1\}.$$

Observe that the set Δ_2 is consistent and

$$\Delta_1 = \Delta \subseteq \Delta_2,$$

so by the monotonicity, Δ_2 is a **consistent extension** of Δ .

Hence, as we assumed that all consistent extensions of Δ are not complete, we get that Δ_2 cannot be complete, i.e.

Δ_2 is **incomplete**.

Inductive Step

Suppose that we have defined a sequence

$$\Delta_1, \Delta_2, \dots, \Delta_n$$

of **incomplete, consistent extensions** of Δ , and a sequence

$$B_1, B_2, \dots, B_{n-1}$$

of formulas, for $n \geq 2$.

Since Δ_n is **incomplete**, it follows from the Incomplete Set Condition that

there is a formula $B \in \mathcal{F}$ such that $\Delta_n \not\vdash B$, then and the set $\Delta_n \cup \{B\}$ is **consistent**.

Let B_n be the first formula with this property in the sequence \mathbf{F} of all formulas.

We define:

$$\Delta_{n+1} = \Delta_n \cup \{B_n\}.$$

By the definition,

$$\Delta \subseteq \Delta_n \subseteq \Delta_{n+1}$$

and the set Δ_{n+1} is consistent.

Hence Δ_{n+1} is an **incomplete consistent extension** of Δ .

By the principle of mathematical induction we have defined an infinite sequence

$$\mathbf{D} \quad \Delta = \Delta_1 \subseteq \Delta_2 \subseteq \dots, \subseteq \Delta_n \subseteq \Delta_{n+1} \subseteq \dots$$

such that for all $n \in \mathbb{N}$, Δ_n is **consistent**, and each Δ_n an **incomplete consistent extension** of Δ .

Moreover, we have also defined a sequence

B $B_1, B_2, \dots, B_n, \dots$

of formulas, such that for all $n \in \mathbb{N}$,

$\Delta_n \not\vdash B_n$, and the set $\Delta_n \cup \{B_n\}$ is **consistent**.

Observe that $B_n \in \Delta_{n+1}$ for all $n \geq 1$.

Now we are ready to define Δ^* .

Definition of Δ^*

$$\Delta^* = \bigcup_{n \in \mathbb{N}} \Delta_n.$$

To complete the proof our theorem we have now to prove that

Δ^* is a **complete consistent extension** of Δ .

Obviously, by the definition,

Δ^* is an extension of Δ .

Fact 1 Δ^* is **consistent**.

proof: assume that Δ^* is **inconsistent**. By the Finite Inconsistency theorem there is a finite subset Δ_0 of Δ^* that is **inconsistent**, i.e.

$$\Delta_0 = \{C_1, \dots, C_n\} \subseteq \bigcup_{n \in \mathbb{N}} \Delta_n$$

and Δ_0 is **inconsistent**.

By the definition, $C_i \in \Delta_{k_i}$ for certain Δ_{k_i} in the sequence \mathbf{D} and $1 \leq i \leq n$.

Hence $\Delta_0 \subseteq \Delta_m$ for $m = \max\{k_1, k_2, \dots, k_n\}$.

But all sets of the sequence \mathbf{D} are **consistent**.

This contradicts the fact that Δ_m is **inconsistent**, as it contains an inconsistent subset Δ_0 .

Hence Δ^* must be **consistent**.

Fact 2 Δ^* is **complete**.

proof: assume that Δ^* is **not complete**. By the Incomplete Set Condition, there is a formula $B \in \mathcal{F}$ such that

$\Delta^* \not\vdash B$, and the set $\Delta^* \cup \{B\}$ is **consistent**.

By definition **D** of the sequence Δ_n , for every $n \in N$, $\Delta_n \not\vdash B$ and the set $\Delta_n \cup \{B\}$ is **consistent**.

Since the formula B is one of the formulas of the sequence \mathbf{B} and it would have to be one of the formulas of the sequence i.e. $B = B_j$ for certain j .

By definition, $B_j \in \Delta_{j+1}$, it proves that $B \in \Delta^* = \bigcup_{n \in \mathbb{N}} \Delta_n$.

But this means that

$$\Delta^* \vdash B,$$

contrary to the assumption.

This proves that Δ^* is a **complete consistent extension** of Δ and completes the proof of our lemma.

Now we are ready to prove the **completeness theorem** for the system S .

Proof of the Completeness Theorem

As by assumption our system S is sound, we have to prove only the Completeness part of the Completeness Theorem, i.e for any formula A ,

If $\models A$, then $\vdash A$

We prove it by proving the opposite implication

If $\not\vdash A$, then $\not\models A$.

Reminder: $\not\models A$ means that there is a variable assignment $v : VAR \rightarrow \{T, F\}$, such that $v^*(A) \neq T$.

In classical case it means that $v^*(A) = F$, i.e. that there is a variable assignment that falsifies A . Such v is also called a **counter-model** for A .

Assume that A doesn't have a proof in S , we want to define a **counter-model** for A .

But if $\not\vdash A$, then by the Inconsistency Lemma the set $\{\neg A\}$ is consistent.

By the Main Lemma there is a complete, consistent extension of the set $\{\neg A\}$, i.e. there is a set Δ^* such that $\{\neg A\} \subseteq \Delta^*$, i.e.

E $\neg A \in \Delta^*$.

Since Δ^* is a consistent, complete set, it satisfies the following form consistency condition, which says that for any A ,

$$\Delta^* \not\vdash A \text{ or } \Delta^* \not\vdash \neg A.$$

It also satisfies the completeness condition, which says that for any A ,

$$\Delta^* \vdash A \text{ or } \Delta^* \vdash \neg A.$$

This means that for any A , **exactly one** of the following conditions is satisfied:

(1) $\Delta^* \vdash A$, or

(2) $\Delta^* \vdash \neg A$.

In particular, for every propositional variable $a \in VAR$ **exactly one** of the following conditions is satisfied:

(1) $\Delta^* \vdash a$, or

(2) $\Delta^* \vdash \neg a$.

This justifies the correctness of the following definition.

Definition of v

We define the variable assignment

$$v : VAR \longrightarrow \{T, F\}$$

as follows:

$$v(a) = \begin{cases} T & \text{if } \Delta^* \vdash a \\ F & \text{if } \Delta^* \vdash \neg a. \end{cases}$$

We show, as a separate lemma below, that such defined variable assignment v has the following property.

Property of v Lemma

Let v be the variable assignment defined above and v^* its extension to the set \mathcal{F} of all formulas.

For every formula $B \in \mathcal{F}$, the following is true

$$v^*(B) = \begin{cases} T & \text{if } \Delta^* \vdash B \\ F & \text{if } \Delta^* \vdash \neg B. \end{cases}$$

Given Property of v Lemma (still to be proved) we now prove that the v is in fact, a **counter model for** any formula A , such that $\not\vdash A$.

Let A be such that $\not\vdash A$. By **E** $\neg A \in \Delta^*$ and obviously,

$$\Delta^* \vdash \neg A.$$

Hence, by the property of v ,

$$v^*(A) = F,$$

what proves that v is a **counter-model** for A and hence **ends** the proof of the completeness theorem.

In order to really complete the proof we still have to show the Property of v Lemma.

Proof of the Lemma (Property of v lemma)

The proof is conducted by the induction on the degree of the formula A .

Initial step If A is a propositional variable, then the Lemma is true holds by definition of v .

Inductive Step If A is not a propositional variable, then A is of the form $\neg C$ or $(C \Rightarrow D)$, for certain formulas C, D .

By the inductive assumption the Lemma holds for the formulas C and D .

Case $A = \neg C$

We have to consider two possibilities:

1. $\Delta^* \vdash A$,
2. $\Delta^* \vdash \neg A$.

Consider case 1. i.e. assume

$$\Delta^* \vdash A.$$

It means that $\Delta^* \vdash \neg C$.

Then from the fact that Δ^* is **consistent** it must be that

$$\Delta^* \not\vdash C.$$

By the inductive assumption we have that $v^*(C) = F$, and accordingly

$$v^*(A) = v^*(\neg C) = \neg v^*(C) = \neg F = T.$$

Consider case 2. i.e. assume that

$$\Delta^* \vdash \neg A.$$

Then from the fact that Δ^* is **consistent** it must be that $\Delta^* \not\vdash A$ and

$$\Delta^* \not\vdash \neg C.$$

If so, then $\Delta^* \vdash C$, as the set Δ^* is **complete**.

By the inductive assumption, $v^*(C) = T$, and accordingly

$$v^*(A) = v^*(\neg C) = \neg v^*(C) = \neg T = F.$$

Thus A satisfies the v property Lemma.

Case $A = (C \Rightarrow D)$.

As in the previous case, we assume that the Lemma holds for the formulas C, D and we consider two possibilities:

1. $\Delta^* \vdash A$ and

2. $\Delta^* \vdash \neg A$.

Case 1. Assume $\Delta^* \vdash A$. It means that $\Delta^* \vdash (C \Rightarrow D)$.

If at the same time $\Delta^* \not\vdash C$, then $v^*(C) = F$, and accordingly

$$\begin{aligned} v^*(A) &= v^*(C \Rightarrow D) = \\ v^*(C) \Rightarrow v^*(D) &= F \Rightarrow v^*(D) = \mathbf{T}. \end{aligned}$$

If at the same time $\Delta^* \vdash C$, then since $\Delta^* \vdash (C \Rightarrow D)$, we infer, by Modus Ponens, that

$$\Delta^* \vdash D.$$

If so, then

$$v^*(C) = v^*(D) = T,$$

and accordingly

$$\begin{aligned} v^*(A) &= v^*(C \Rightarrow D) = \\ v^*(C) \Rightarrow v^*(D) &= T \Rightarrow T = \mathbf{T}. \end{aligned}$$

Thus, if $\Delta^* \vdash A$, then $v^*(A) = T$.

case 2. Assume now, as before, that

$$\Delta^* \vdash \neg A.$$

Then from the fact that Δ^* is **consistent** it must be that $\Delta^* \not\vdash A$, i.e.,

$$\Delta^* \not\vdash (C \Rightarrow D).$$

It follows from this that

$$\Delta^* \not\vdash D,$$

for if $\Delta^* \vdash D$, then, as $(D \Rightarrow (C \Rightarrow D))$ is provable formula 1 in S , by monotonicity also

$$\Delta^* \vdash (D \Rightarrow (C \Rightarrow D)).$$

Applying Modus Ponens we obtain

$$\Delta^* \vdash (C \Rightarrow D),$$

which is contrary to the assumption.

Also we must have

$$\Delta^* \vdash C,$$

for otherwise, as Δ^* is **complete** we would have $\Delta^* \vdash \neg C$.

But this is impossible, since the formula $(\neg C \Rightarrow (C \Rightarrow D))$ is assumed to be provable formula 9 in S and by monotonicity

$$\Delta^* \vdash (\neg C \Rightarrow (C \Rightarrow D)).$$

Applying Modus Ponens we would get

$$\Delta^* \vdash (C \Rightarrow D),$$

which is contrary to the assumption.

This ends the proof of the lemma and completes the counter-model existence proof of the Completeness Theorem.